INDEX TO VOLUME 10

A

Abeles, Milton M., and Schneider, D. E., 1126*
Abramson, David I., 268*
—, and Weinstein, J., 835*
Acetyl-β-methylcholin chloride: iontophoresis of, in treatment of chronic arthritis and peripheral vascular disease, 137*
Acrocyanosis, capillaroscopy in states of, 841*
Action potentials, monophasic, interpretation of, from mammalian ventricle indicated by changes following coronary occlusion, 1120*
Adams, Wright, and Gordon, W., 414*
Adams-Stokes syndrome with transient complete heart-block of vagovagal reflex origin, 416*
Adolescence, heart in, 561*
Adrenal (*See* suprarenal)
Adson, Alfred W., Brown, G. E., and Craig, W. McK., 143
Adults, rheumatic heart disease in, course of, 459
Age at initial infection, factors pertaining to, development of cardiac insufficiency, duration of life and cause of death, in course of rheumatic heart disease in adults, 459
Alexander, Benjamin, and Brown, S., 563*
Allen, Arthur W., Graybiel, A., and White, P. D., 557*
Allen, Edgar V., 560*
—, and Camp, J. D., 136*, 560*
Altschule, Mark D., and Vook, M. C., 989*
American Heart Association, annual meeting of, 1934, 389; 1935, 1099
Amplification audio, modification of Wiggers-Dean method of recording heart sounds, 965
Amyl nitrite, cerebral blood flow in man as influenced by adrenalin, caffein, histamine, and, 916
Anderson, John P., 1103*
Anderson, Mark J., and Willius, F. A., 248
Anemia, angina pectoris and intermittent claudication in, 418*
Anesthesia, spinal, reflexes, gallbladder-heart in man under, 550
Aneurysm, aortic, pulmonary and pleural complications of, 208
  arteriovenous, circulatory studies on case of, 360
  formation in children, verrucous aortitis with special regard to, 130*
Angina of effort, effect of food, gastric distention, external temperature, and repeated exercise on, 417*
  sine dolore, note on, and observations on effect of food, gastric distention, external temperature and repeated exercise on angina of effort, 417*
Angina pectoris, circulatory changes in, 990*
    response to exercise in patients with, 511
  coronary disease and coronary thrombosis, 1067
  sclerosis, incidence of, in hypertension and, 367
Angina pectoris—Cont'd
  induced attacks of, changes in electrocardiogram resulting from, 392*
  mechanism of pain production in, 322
  observations on, and intermittent claudication in anemia, 418*
  pain in, mechanism of early relief of, and in patients with congestive failure after total ablation of normal thyroid gland, 128*
  prognosis in, observations on, 702*
  standardized exercise tolerance test for patients with, on exertion, 278*
  symptoms of calcareous aortic stenosis, and heart-block, 989*
  therapeutic effect of total ablation of normal thyroid gland on, and congestive heart failure, 135*
  thyroidectomy, total, in, 221
  treatment of, by total ablation of normal thyroid gland, and congestive heart failure, 419*
    results in arteriosclerotic heart disease, 596
    sensitivity of man to epinephrine injected intravenously before and after total thyroidectomy, 985*
Aorta, aneurysm of, pulmonary and pleural complications of, 208
  coarctation of, histological study of arterioles of muscles and skin from arm and leg in individuals with, 557*
  disease of, roentgenographic appearance of esophagus in disease of heart and, 834*
  human, arteriosclerotic lesions in, chemical study of, 134*
  normal and atheromatous, chemistry and morphology of, 393*
  rupture of, intrapericardial, 384
Aortitis, syphilitic, early diagnosis and clinical course of 346 cases of, 844*
    in childhood and youth, 1126*
  verrucous, with special regard to aneurysm formation in children, 130*
Appelbaum, Emanuel, and Nicolson, G. H. B., 662
Areas, geographical, distribution of rheumatic fever, scarlet fever and acute glomerulonephritis in North America, 1124*
  heart disease by, mortality rates of, 955
    in Middle West, 278*
    in Pacific Northwest, 844*
    rheumatic, in Louisville, Ky., 128*
  rheumatism in India, 1123*
Arnett, John H., 989*
Arnold, Harry L., Middleton, W. S., and Chen, K. K., 697*
Arteriography test for determining limits of adequate circulation in the extremities, 559*
  value of, 136*
Arterioles, histological study of, of muscle and skin from arm and leg in individuals with coarctation of aorta, 557*

An asterisk (*) after a page number indicates that reference is an abstract and not an original article.

Arteriosclerosis, cholesterol, experimental, and its relation to human arteriosclerosis, 986*
induced, iodine, effect of, on, 1125*
effect of, and benign and malignant hypertension on area of histamine flares, 136*
manifestation of isolated—how often is arteriosclerotic heart disease, 394*
relation of, to hypertrophy of heart, 389*
Artery, coronary, arteriosclerosis of, coronary thrombosis and the resulting myocardial changes: evaluation of respective clinical pictures including the electrocardiographic records, based on anatomical findings, 567
branch, left anterior descending, ligation of, II. early effects produced by; form of electrocardiogram in experimental myocardial infarction, 889
III. later effects produced by, form of electrocardiogram in experimental myocardial infarction, 903
IV. additional observations on later effects produced by, form of electrocardiogram in experimental myocardial infection, 1025
circulation, effect of intravenous injections of dextrose on, 698*
disease of, and anginal pain, 391*
angina pectoris, and coronary thrombosis, clinical manifestations of: relationship of heart-block, auriculoventricular and intraventricular to, 1067
bundle-branch block resulting from, electrocardiographic evidence of recent coronary thrombosis, superimposed on, 260
electrocardiograms, value of, in interpreting, 394*
observations on pathology and pharmacology of syncope and sudden death in, 393*
effect, protective upon, of collateral vascular bed, 1101*
nerve plexus surrounding, presence of pain fibers in, 847*
occlusion, acute, of reestablishment of adequate circulation through collateral arterial pathways by passive vascular exercise, 1103*
pericardial effusions following, 253
analysis of pathological anatomy in 168 cases with electrocardiographic correlation in 36 of these, 662
calcification of myocardium following, 264
changes in carbohydrate metabolism of the heart following, 277*
effect of, on initial phase of ventricular complex in precordial leads, 134*
on myocardial contraction, 843*
electrocardiograms in, and sclerosis of, 392*
electrocardiographic study of cases of, proved at autopsy at the Massachusetts General Hospital, 1914-1934, 700*
interpretation of monophasic action potentials from mammalian ventricles indicated by changes following, 1120*
progressive, reestablishment of cardiac circulation during, 533
sclerosis of, clinical and pathological study of, its incidence in hypertension and angina pectoris, 367
electrocardiogram, four-lead, in, 842*
and occlusion, 392*
pathology of, 328
relation of, to auricular fibrillation with especial reference to the term "arteriosclerotic heart disease," 844*
Artery—Cont'd
spasm of, as possible factor in producing sudden death, 338
thrombosis of, and its effect on size of heart, 390*
coronary arteriosclerosis, and resulting myocardial changes; evaluation of respective clinical pictures including electrocardiographic records, based on anatomical findings, 567
disease, and angina pectoris, clinical manifestations of: relationship of heart-block, auriculoventricular and intraventricular, to, 1067
diet, low calorie, in treatment of 150 cases of, 1102*
electrocardiograms, serial, value of, in, 700*
recent, electrocardiographic evidence of, superimposed on bundle-branch block resulting from previous coronary disease, 260
peripheral, patency of, investigation of, 1
pulmonary, embolism of, acute cor pulmonale resulting from, 839*
puncture of, methods of obtaining "mixed" venous blood by, 138*
Arthritis, chronic, iontophoresis of, acetyl-β-methylcholin chloride, in treatment of, and peripheral vascular disease, 137*
Aschoff body, myocardial, studies on, 270*
Asthenia, neurocirculatory, incidence of, with and without organic heart disease, 140*
inversion of T-wave in lead I or II of the electrocardiogram in young individuals with, with thyrotoxicosis, in relation to certain infections and following paroxysmal ventricular tachycardia, 345
Asthma, cardiac, mechanism of, observations concerning, 139*
Atrophy, brown, of heart, electrocardiogram in, 542
Auricle, left, dilatation of, to right, 279*
massive, 1104*
systole of, sounds and murmurs produced by, 703*
Auscultation of heart, nonorganic findings and venous hum in children, evaluation of, 129*
Averbuck, Samuel H., and Friedman, W., 562*
Ayerza's disease, cyanosis of black cardiacs, 1129 (Book review)

B

Bacon, Charles M., Lundy, C. J., McLellan, L. L., and Merchant, R., 1102*
Bacterial flora, seasonal, of throat in rheumatic and non-rheumatic children, 838*
Bainton, Joseph H., and Burnstein, J., 566
Baker, B. M., Thomas, C. B., and Penich, R. M., Jr., 1124*
—, and Roger Denio, 981*
Bakwin, Harry, and Bakwin, R. M., 268*
Bakwin, Ruth Morris, and Bakwin, H., 268*
Barach, Alvan L., and Richards, D. W., 132*
Barker, Paul S., Wilson, F. N., Macleod, A. G., and Johnston, F. D., 46
Barnes, Arlie R., 391,* 696*
Batterman, Robert C., DeGraff, A. C., and Nadler, J. E., 832*
Battro, Antonio, and Del Rio, D. G., 283*
—, Menendez, E. B., and Orias, O., 276*
Beck, Claude S., 1101*
—, and Bright, E. F., 293
—, and Moritz, A. R., 874
—, and Tichy, V. L., 849

Bellet, Samuel, and Johnston, C. G., 134*
—, Johnston, C. G., and Schecter, A., 275*
—, Wolferth, C. C., and Wood, F. C., 990*
Benenson, William, and Kleefield, E. A., 832*
Berconsky, I., and Cossio, P., 419, 991*
Beriberi, heart in—morphology, clinical signs, and pathogenesis, 423 (Book review)
Berlin, David D., Blumgart, H. L., Weinstein, A. A., Riseman, J. E. F., and Davis, D., 419*
—, Gilligan, R. R., Volk, M. C., Stern, B., and Blumgart, H. L., 135*
—, Weinstein, A. A., Davis, D., and Blumgart, H. L., 128*
Bernhard, A., Rafsky, H. A., and Rohdenberg, G. L., 1125*
Bernstein, Alan, 983*
Bettman, Ralph B., and Rubinfeld, S. H., 550
Bien, C. W., Tung, C. L., Hsieh, C. K., and Dieuaide, F. R., 79
Bierring, Walter L., Bone, H. C., and Lockhart, M. L., 564*
Bishop, Louis F., and Bishop, L. F., Jr., 394,* 1104*
Bishop, Louis F., Jr., and Bishop, L. F., 394,* 1104*
Bishop, Paul A., and Roesler, H., 557*
Bismuth subnitrate, therapeutic efficacy of, in arterial hypertension, 137*
Blackman, S. S., Jr., 991*
Bland, Edward F., and Jones, T. D., 1124*
—, White, P. D., and Jones, T. D., 995
Block (*See* heart-block)
Blood capillaries, permeability of, to lipoids, 277*
flow, cerebral, in man, influenced by adrenalin, caffein, amyl nitrate, and histamine, 916
coronary, effect of vagus and sympathetic stimulation on, of the revived human heart, 281*
forward, during diastole: Duroziez's sign in normal subjects and in patients with arterial hypertension with especial reference to its relation to capillary pulsation and, 563*
venous, velocity of, continuous measurement of, in the arms during exercise and change of posture, 282*
Blood, "mixed" venous, method for obtaining, by arterial puncture, 138*
pressure, action of acetyl-β-methylcholin on, skin temperature, and heart as exhibited by the electrocardiogram of hypertensive patients, 558*
arterial, abnormal, 993 (Book review)
and venous, effect of venesection on, and spinal fluid, with especial reference to failure of the left and right heart, 702*
level of, effect of renal denervation on, and renal function in essential hypertension, 420*
lowering, effect on renal efficiency of, in cases of essential hypertension and nephritis, 420*
effect of continuous infusion of minute doses of epinephrine on, urea excretions and urine volume in various clinical conditions including Bright's disease, 272*
estimations of basal cardiac output, metabolism, heart size, and, 140*
intravenous, and circulation time, 832*
relationship of, peripheral vasomotor activity and environmental temperature, 1100*
variations in, in renal tuberculosis, 848*
Blood pressure—Cont'd
venous, measurement of, hydrostatic factor in, 137*
peripheral, in congestive heart failure, 1100*
proteins, nitrogen distribution of, production of experimental hypertension and correlated effect upon, 1125*
vessels, arteriolar lesions of skeletal muscle in hypertension, 355
collateral, protective effect of, upon coronary occlusion, 1101*
diseases of, of the extremities, and thromboangiitis obliterans, selection of cases of, for sympathetic ganglionectomy, 143
in combined syphilitic and rheumatic infection, and heart, 557*
of skin, significance of, in essential hypertension, 280*
pulmonary, carcinomatous endarteritis of, resulting in failure of right ventricle, 275*
supply to digits, observations on maladies in which it ceases intermittently or permanently and upon bilateral gangrene of digits; observations relevant to so-called "Raynaud's disease," 422*
Bloom, N., and Porter, W. B., 793
Blumenthal, Basil, Sacks, H. A., and Marquis, H., 965
Blumgart, Herrman L., Berlin, D. D., Weinstein, A. A., Riseman, J. E. F., and Davis, D., 419*
—, Davis, D., Weinstein, A. A., and Berlin, D. D., 128*
—, Gilligan, D. R., Berlin, D. D., Volk, M. C., and Stern, B., 135*
—, Riseman, J. E. F., Davis, D., and Weinstein, A. A., 596
—, —, and Gilligan, D. R., 985*
Boas, E. P., 989*
Body, temperature of, relation between interior and surface, fever in heart failure, 280*
Bohning, Anne, and Katz, L. N., 842*
—, Katz, L. N., and Landt, H., 394, 681
Bone, H. C., Bierring, W. L., and Lockhart, M. L., 564*
Boothby, Walter M., and Rynearson, E. H., 836*
Brams, William A., and Golden, J. S., 848*
Bramwell, Crighton, 703,* 703*
Bright, Ernest, and Beck, C. S., 293
Bromer, Albert W., Stroud, W. D., Gallagher, J. R., and VanderVeer, J. B., 129*
—, Stroud, W. D., Livingston, A. E., VanderVeer, J. B., and Griffith, G. C., 982*
Brown, George E., and Craig, W. McK., 275*
—, —, and Adson, A. W., 143
—, and Goldsmith, G. A., 847*
Brown, J. W., and Muir, D. C., 699*
Brown, Morton G., 844*
Brown, Samuel, and Alexander, B., 563*
Brown, W. Hurst, 1101*
Bruen, Curtis, 137*
Bruenn, Howard G., and Levy, R. L., 881
—, Turner, K. B., and Levy, R. L., 391*
Bryan, A. Hughes, Evans, W. A., Jr., Fulton, M. N., and Stead, E. A., Jr., 982*
Bundle-branch block (*See* heart-block, bundle-branch)
Burkhardt, E. A., Eggleston, C., and Smith, L., 1100,* 1100*
Burnstein, Julius, and Bainton, J. H., 566
Burwell, C. Sidney, and Flickinger, D., 983*

C

Caffein, cerebral blood flow in man, as influenced by adrenalin, amyl nitrite, histamine, and, 916
Calcification of myocardium following coronary occlusion, 264
intracardiac, roentgenologic diagnosis of, 557*

Calcium, modifying action of, and sodium bicarbonate on salicylate intoxication, 134*
Calhoun, J. A., Harrison, T. R., and Harrison, W. G., Jr., 139*
—, —, Friedman B., and Resnik, H., Jr., 984*
—, —, King, C. E., and Harrison, W. G., Jr., 138*
Camp, John D., and Allen, E. V., 136,* 560*
Campbell, Maurice, 131*
Capdehourat, Eduardo L., 1129
Capillaroscopy in states of acrocyanosis, 841*
Capillary, pulsation of, Duroziez's sign in normal subjects and in patients with arterial hypertension with especial reference to its relation to, and the forward flow of blood during diastole, 563*
Cardiology, consultations in, 1130 (Book review)
Cardiovascular disease, complications of trichinosis, 983*
verodigen, use of, in, biological assay and pharmacological action, 982*
Carditis, experimental, changes in myocardium and pericardium, of rabbits sensitized to streptococci, 1124*
Carlisle, George L., 285
Carr, James G., 389*
Carter, J. Bailey, and Trout, E. F., 697*
Carvallo, J. M. R., and Chavez, I., 990*
Castro, Olyntho de, 277*
Cerebrospinal fluid, pressure of, in arterial hypertension, 422*
Chandler, Gertrude Jackson, and Lisa, J. R., 557*
Chavez, I., and Carvallo, J. M. R., 990*
De la Chappelle, Clarence E., Graef, I., and Rottino, A., 62
Chen, K. K., Arnold, H. L., and Middleton, W. S., 697*
Chest wall, anterior, position of heart valves and their relation to, in living subjects with abnormal hearts, 156
Childhood, periarteritis nodosa in, with meningeal involvement, 984*
rheumatism in, in India, 1123*
Children, cardiac transverse diameter in, estimation of, and comparison with cardiac area, 414*
heart disease in, aspects of, 418*
normal, circulation time in, 562*
measurement of size of heart in, 1125
rheumatic fever in, relationship of upper respiratory infections to, 837,* 838*
Chorea and acute rheumatism, etiology of, in relation to social and environmental factors, 129*
Sydenham's, latent cardiac complications following, 846*
Circulation, adequate, in extremities, arteriography as test for determining its limits, 559*
cardiac, reestablishment of, during progressive coronary occlusion, 533
collateral, adequate, reestablishment of, by passive vascular exercise, 1103*
production of, to heart, 849, 874
venous, in abdominal wall demonstrated by means of infra-red photography, 1126*
coronary, effect of intravenous injections of dextrose on, 698*
significance of, in arteriosclerotic heart disease, 390*
effect of resection of pericardium on, of patient with concretio cordis, 983*
fistula, arteriovenous, effect of, on, 840*
rate, increase of, produced by exophthalmic goiter, 836*
studies of, and heart in disease, 140*
time and intravenous pressure, 832*
in failure of left side of heart, 565*
in normal children, 562*
Circulation studies—Cont'd
measuring, use of ether in, from antecubital veins to pulmonary capillaries, 1080
Circulatory system, 1130 (Book review)
Clark, Gurney, Friedman, B., and Harrison, T. R., 138*
—, Harrison, T. R., Friedman, B., and Resnik, H., Jr., 133*
Clark, Janet H., Hooker, D. R., and Weed, L. H., 137*
Claudication, intermittent, observations on, and angina pectoris in anemia, 418*
Clements, A. B., 992*
Cobo, Jorge Lavalle, and Quirno, N., 841*
Coburn, Alvin F., and Pauli, R. H., 1122,* 1122,* 1123*
Coelho, Eduardo, 141
Cohn, Alfred E., and Lewis, W. H., 841*
—, and Steele, J. Murray, 279*
Concretio cordis, effect of resection of pericardium on circulation of patient with, 983
Convalescent care of cardiac child, 271*
Cor pulmonale, acute, pulmonary embolism, resulting from, 839*
Cossio, P., and Berconsky, I., 419,* 991*
—, and Menendez, E. B., 991*
—, and Orias, O., 702*
—, and Padilla, T., 282*
Cowan, Donald W., 133*
Craig, Winchell McK., and Brown, G. E., 275*
—, —, and Adson, A. W., 143
Crampton, C. B., and Schneider, E. C., 557*
Crane, Norman F., Stewart, H. J., Dietrich, J. E., and Thompson, W. P., 804
Curran, J. A., Maynard, E. P., Jr., Rosen, I. T., Williamson, C. G., and Lingg, C., 844*
Cutler, Elliott C., and Shambaugh, P., 221
Cyanosis of black cardiacs of Ayerza, 1129 (Book review)
Cytology in rheumatic fever, 564*

D

Dack, Simon, Master, A. M., and Jaffe, H. L., 833,* 1102*
Dauer, C. C., 955
Davis, Nathan S., 391*
Davis, David, Berlin, D. D., Blumgart, H. L., Weinstein, A. A., and Riseman, J. E. F., 419*
—, and Weiss, S., 486
—, Weinstein, A. A., Riseman, J. E. F., and Blumgart, H. L., 17, 596
—, —, and Berlin, D. D., and Blumgart, H. L., 128*
Death, cause of, factors pertaining to age at initial infection, the development of cardiac insufficiency, duration of life and, in course of rheumatic heart disease in adults, 459
sudden, 416*
clinical observations upon syncope and, in relation to aortic stenosis, 705
coronary spasm as possible factor in producing, 338
observations on pathology and pharmacology of syncope and, in coronary disease, 393*
Decompensation (*See* heart muscle, insufficiency of)
DeForest, G. K., Paul, J. R., Harrison, E. R., and Salinger, R., 283
DeGraff, Arthur C., and Lingg, C., 459, 478, 630
—, Nadler, J. E., and Batterman, R. C., 832*
Del Rio, Julio G., and Battro, A., 283*
De Takáts, Géza, 841*
Dexter, L., and Proger, S. H., 282*
Dextrose, effect of intravenous injection of, on coronary circulation, 698*
Diabetes, arteriosclerotic heart disease in, 390*

Diet, low calorie, 150 cases of coronary thrombosis treated with, 1102*
Dietrick, John E., Stewart, H. J., Crane, N. F., and Thompson, W. P., 834*
Dieuaide, F. R., Tung, C. L., Hsieh, C. K., and Bien, C. W., 79
Digitalis and lobar pneumonia, 841*
effect of, on appearance of Lead IV, 546
glucoside, purified and whole leaf preparations of, clinical comparison of, 129*
tolerance of dogs to, effect of cardiac infarction on, 275*
Diphtheria, electrocardiographic changes in, significance of, 1100*
myocarditis in, pathological analysis of, with especial reference to electrocardiographic findings, 1100*
Diuresis following administration of salyrgan, effect on specific gravity, total nitrogen and colloid osmotic pressure of plasma of normal and edematous dogs, 982*
Diuretics, effect of, on cardiac output of patients with congestive heart failure, 984*
Dock, William, 1047
Dodge, Katherine, and Sutton, L. P., 835*
Donal, J. S., and Gamble, C. J., and Shaw, R., 281*
—, Starr, I., Jr., Margolies, A., Shaw, R., Collins, L. H., and Gamble, C. J., 140*
Dooley, M. S., Robb, J. S., Hiss, J. G. F., and Robb, R. C., 1012
Dragstedt, C. A., and Thompson, H. E., 134*
Drinker, Cecil K., Marble, A., Field, M. E., and Smith, R. M., 277*
Dubois, Robert O., Wilson, M. G., Ingerman, E., and Spock, B. McL., 704*
Duff, G. L., 986*
Duomarco, J., and Lombardini, R. V., 276*
Duroziez's sign in normal subjects and in patients with arterial hypertension with especial reference to its relation to capillary pulsation and forward flow of blood during diastole, 563*
Dyspnea, paroxysmal, Cheyne-Stokes respiration as cause of, at onset of sleep, 138*

E

Easby, Mary H., 118
Edelken, Joseph, and Wolferth, C. C., 559*
Edema, cardiac, and plasma protein, 421*
effect of, on amplitude of electrocardiographic waves, 269*
Edwards, Joseph C., and White, P. D., 140*
Effusion, pleural (*See* pleurisy)
Eggleston, Cary, Burkhardt, E. A., and Smith, L., 1100*
Ehrlich, Joseph C., and Gross, L., 270*
Electrocardiogram, acetyl-β-methylcholin, action of, on blood pressure, skin temperature and heart as exhibited by, in hypertensive patients, 558*
action potentials near dorsal surface of human heart, 833*
alteration of, in diseases of pericardium, 843*
axis deviation, left, with and without heart disease, 700*
in brown atrophy of heart, 542
changes in, diphtheritic myocarditis, pathological analysis of, with especial reference to, 1100*
during encephalography, 1126*
from stab wounds of heart, polyserositis and pericarditis, 983*
produced by injuries of various parts of the ventricles, 284*
Electrocardiogram, changes in—Cont'd
resulting from induced attacks of angina pectoris, 392*
significance of, in diphtheria, 1100*
clinical significance of M- and W-shaped QRS, 559*
coronary sclerosis and occlusion, 392*
deflections, ventricular, areas of, determination and significance of, 46
effect of coronary occlusion on initial phase of ventricular complex in precordial leads of, 134*
intravenous injections of methylene blue in man with reference to its toxic symptoms, 137*
ouabain upon, of specific muscle lesions, 1012
positions of heart on, I. revived perfused human hearts in normal positions, 605
II., obtained from dog's heart placed in human pericardial cavity, 614
thyroidectomy on, 988*
form of, in experimental myocardial infarction, 889, 903, 1025
four-lead, in coronary sclerosis, 842*
effect of standardized exercise on, 699*
from fetus 4½ months old, 118
inversion of T-waves in Leads I and II of, in young individuals with neurocirculatory asthenia, with thyrotoxicosis, in relation to certain infections and following paroxysmal ventricular tachycardia, 345
in myocardial infarction, 696*
method, new and simple, of avoiding high resistance and overshooting in taking standardized, 693
normal, in 200 individuals with especial reference to chest leads, 1101*
precordial Lead IV in, 283*
as aid in recognition of active carditis in rheumatic fever, 881
clinical value of, as observed in 3,000 ambulatory patients, 1102*
potential variation of precordium and, of extremities in normal subjects, 925
serial, value of, in coronary thrombosis, 700*
transthoracic: clinical use of nine-lead hook-up, 270*
value of, in interpreting coronary disease, 394*
Electrocardiography, 1127 (Book review)
abnormalities, characteristics of certain cases of arterial hypertension, 942
clinical, use of chest leads in, 798
evidence of recent coronary thrombosis superimposed on bundle-branch block resulting from previous coronary disease, 260
illustrative, 566 (Book review)
in diagnosis of diseases of circulation, and other graphic methods, 1128 (Book review)
interpretation of galvanometr'c curves obtained when one electrode is distant from heart and other near or in contact with ventricular surface. I., observations on cold-blooded heart, 163
II., observations on mammalian heart, 176
Lead IV in, 283*
mediastinopericarditis, adhesive, with normal cardiac electrical axis rotation on postural change, 240
of normal heart in pregnancy, 110
position of heart, relation of, to initial ventricular deflections in experimental bundle-branch block, 1042
records, evaluation of respective clinical pictures of coronary arteriosclerosis, coronary thrombosis and resulting myocardial changes based on the anatomical findings, 567

Electrocardiography—Cont'd
study of cases of coronary occlusion proved at autopsy at Massachusetts General Hospital, 1914-1934, 700*
tracings, obtained by use of esophageal leads in human subject, 1101*
waves, effect of edema on amplitude of, 269*
Electrostethograph for recording heart sounds, 564*
Elliott, Albert H., and Nuzum, F. R., 565*, 698*
—, —, and Evans, R. D., 367
Ellis, Laurence B., and Weiss, S., 837*
Elson, Julius, 120
Encephalography, electrocardiographic changes during, 1126*
Endarteritis, carcinomatous, of pulmonary vessels resulting in failure of right ventricle, 275*
Endocarditis, bacterial, subacute, auricular fibrillation and flutter in course of, 981*
portal of entry, relation of, to, 416*
relationship between rheumatic endocarditis and, 562*
patent ductus arteriosis, complicated by, and hemorrhagic nephritis, 974
rheumatic, relationship between, and subacute bacterial endocarditis, 562*
Endocardium, tuberculosis of, 981*
Epinephrine (*See* suprarenal)
Eppinger, Eugene C., and Levine, S. A., 736
Ergotamine tartrate in paroxysmal auricular tachycardia, 271*
Ernstene, A. Carlton, and Mulvey, B. E., 284*
—, and Snyder, M., 136*
Esophagus, roentgenographic appearance of, in diagnosis of diseases of heart and aorta, 834*
Ether, use of, in measuring circulation time from antecubital veins to pulmonary capillaries, 1080
Evans, R. D., Nuzum, F. R., and Elliott, A. H., 367
Evans, William A., Jr., Bryan, A. H., Fulton, M. N., and Stead, E. A., Jr., 982*
Exercise, circulatory response to, in patients with angina pectoris, 511
continuous measurement of velocity of venous blood flow in arm during, and change of posture, 282*
muscular, effect of bodily rest and induced pyrexia on ventricular rate in complete heart-block, 131*
repeated, effect of food, gastric distention, external temperature and, on angina of effort, with a note on angina sine dolore, 417*
respiratory exchange during, in heart disease, 131*
standardized, effect of, on four-lead electrocardiogram, 699*
tolerance test, standardized, for patients with angina pectoris on exertion, 278*
vascular, passive, reestablishment of adequate circulation through arterial pathways by, in acute arterial occlusion, 1103*
Exertion, chronic, effect of in cardiovascular system, 79
Exteriorization of heart in dog, technic of, and suspension, 276*

F

Faulkner, James M., 969
—, Place, E. H., and Ohler, W. R., 562*
Feldman, L., and Hill, H. H., 110
Feldman, Samuel A., and Gross, H., 255
Feltenstein, Milton D., and Schwarzchild, M. M., 453, 833*
Ferris, Eugene B., Jr., and Myers, W. K., 846*
—, and Weiss, S., 416*
Fetter, Ferdinand, and Robertson, H. F., 702*
Fetus, electrocardiogram from 4½ months old, 118
Fever in heart failure, relation between temperature of interior and surface of body, 280*
treatment of rheumatic carditis by, 835*
unexplained, in heart failure, 279*
Fibrillation, auricular, and flutter without evidence of organic heart disease, 420*
arteriosclerotic, clinical course of, 394*
in course of subacute bacterial endocarditis and flutter, 981*
influence of, on course of rheumatic heart disease, 630
in hyperthyroidism, 840*
relation of coronary arteriosclerosis to, with special reference to the term "arteriosclerotic heart disease," 844*
relationship of, to mitral valvular deformity and certain rheumatic tissue changes, 62
study of, following operations for goiter, 284*
partial, and flutter, 277*
ventricular, studies on, IV, post fibrillatory period, 272*
transient, action of quinine and quinidine on patients with, 272*
Field, Madeleine, E., Marble, A., Drinker, C. K., and Smith, R. M., 277*
Fishberg, Arthur M., Hitzig, W. M., and King, F. H., 417,* 565*
Fistula, arteriovenous, effect of, on human circulation, 840*
Flaxman, Nathan, 278,* 1122*
Flickinger, D., and Burwell, C. S., 983*
Flutter, auricular, in course of subacute bacterial endocarditis and fibrillation, 981*
unusual manifestations following use of quinidine sulphate in patient with, 124
without evidence of organic heart disease, and fibrillation, 420*
partial, and fibrillation, 277*
Food, effect of, gastric distention, external temperature, and repeated exercise on angina of effort, with note on angina sine dolore, 417*
Foramen ovale, patency of, so-called "anatomically open but functionally closed," 101
Formijne, P., 1
Foster, Paul C., 1042
Fowler, W. M., Hurewitz, H. M., and Smith, F. M., 395*
Friedberg, Charles K., and Gross, L., 130*
Friedensen, Meyer, 269*
Friedlander, Richard D., and Levine, S. A., 420*
Friedman, Ben, Clark, G., and Harrison, T. R., 138*
—, —, —, and Resnik, H., Jr., 133*
—, and Resnik, H., Jr., 1122*
—, —, Calhoun, J. A., and Harrison, T. R., 984*
Friedman, William, and Averbuck, S. H., 562*
Frucht, Simon, and Pomerance, M., 129*
Fulton, Marshall N., Bryan, A. H., Evans, W. A., Jr., and Stead, E. A., Jr., 982*

G

Gallagher, J. Roswell, Stroud, W. D., Bromer, A. W., and VanderVeer, J. B., 129*
Gallavardin, L., and Tourniaire, A., 566
Gallop rhythm, 276,* 703*
Gamble, C. J., Donal, J. S., and Shaw, R., 281*
—, Starr, I., Jr., Donal, J. S., Margolies, A., Shaw, R., and Collins, L. H., 140*

Ganglionectomy, sympathetic (*See* sympathectomy)
Gangrene, bilateral of digits, observations on maladies in which blood supply to digits ceases intermittently or permanently and upon: observations relevant to so-called "Raynaud's disease," 422*
Genijovich, Samuel, and Waldorp, C. P., 423
Gibbs, E. L., Gibbs, F. A., and Lennox, W. G., 916
Gibbs, F. A., Gibbs, E. L., and Lennox, W. G., 916
Gilchrist, A. Rae, 131*
Gilligan, D. R., Berlin, D. D., Volk, M. C., Stern, B., and Blumgart, H. L., 135*
—, Riseman, J. E. F., and Blumgart, H. L., 985*
Ginsberg, A. M., Stoland, O. O., and Loy, D. T., 698*
Gladstone, Sidney A., 836*
Goffin, John L. C., Lissner, H. H., and Rosenfeld, M. H., 561*
Goiter, exophthalmic, increase in circulation rate produced by, 836*
fibrillation, auricular, following operations for, 284*
Golden, J. S., and Brams, W. A., 848*
Goldfarb, W., Himwich, H. E., and Nahum, L. H., 277*
Goldsmith, Grace A., and Brown, G. E., 847*
Goodman, Morris, 269*
Gordon, Wayne, and Adams, W., 414*
Graef, Irving, de la Chapelle, C. E., and Rottino, A., 62
Graybiel, Ashton, and Jenks, J. L., Jr., 693
—, Allen, A. W., and White, P. D., 557*
—, and Wayne, E. J., 417*
—, and White, P. D., 345, 842*
Green, Harry, Nadler, J. E., and Rosenbaum, A., 137*
Green, Mack M., and Hardaway, R. M., 384
Greenspan, Edward B., 275*
Griffith, G. C., Stroud, W. D., Livingston, A. E., Bromer, A. W., VanderVeer, J. B., 982*
Groedel, Franz M., 1127 (Book review)
Gross, Harry, and Feldman, S. A., 255
—, and Nemet, Geza, 643
Gross, Louis, and Ehrlich, J. C., 270*
—, and Friedberg, C. K., 130*
Gross, Paul, 101
Growth of cardiac silhouette and thoracoabdominal cavity during infancy. Influence of undernutrition, 268*

H

Hallaran, William, and Shipley, R. A., 1101*
Halsey, Robert H., 270*
Hamburger, Walter W., Saphir, O., Priest, W. S., and Katz, L. N., 567
Hamman, Louis, 416*
Hansen, Olga S., and Maly, H. W., 279*
Hardaway, Robert M., and Green, M. M., 384
Harrison, Elizabeth R., Paul, J. R., Salinger, R., and De Forest, G. K., 283*
Harrison, Tinsley R., Calhoun, J. A., and Harrison, W. G., Jr., 139*
—, Friedman, B., and Clark, G., 138*
—, —, —, and Resnik, H., Jr., 133*
—, Resnik, H., Jr., and Calhoun, J. A., 984*
—, King, C. E., Calhoun, J. A., and Harrison, W. G., Jr., 138*
Harrison, W. G., Jr., Harrison, T. R., and Calhoun, J. A., 139*
—, Harrison, T. R., King, C. E., and Calhoun, J. A., 138*
Heart, abnormal, living subjects with, position of heart valves and their relation to anterior chest wall in, 156
abnormality of, patent ductus arteriosis, complicated by endocarditis and hemorrhagic nephritis, 974
acetyl-β-methylcholin, action of, on blood pressure, skin temperature and, as exhibited by electrocardiogram of hypertensive patients, 558*
after phrenic nerve interruption, 279*
area, comparison with cardiac transverse diameter, estimation of, in children, 414*
atrophy, brown, of, electrocardiogram in, 542
auscultation of, nonorganic findings and venous hum in children, evaluation of, 129*
circulation, collateral, production of, to, 849, 874
combined syphilitic and rheumatic infection of, and great vessels, 557*
complications, latent, following Sydenham's chorea, 846*
congestive failure of (*See* heart muscle, insufficiency of)
contraction of, arrest of, factors concerned in, in ischemic myocardial area, 1120*
premature of, quinidin and strychnin in treatment of, 697*
ventricular, experimental, of, characteristic variations in certain experimental chest leads with experimentally produced myocardial lesions, and bundle-branch block, 835*
diameter, transverse, of, in patient with hypertension, with clinical measurements checked by post mortem studies, 565*
disease, arteriosclerotic coronary thrombosis and its effect on size of heart, 390*
how often is, an isolated arteriosclerotic manifestation? 394*
in diabetes, 390*
interrelationship of, and chronic congestive failure, 643
relation of coronary arteriosclerosis to auricular fibrillation with especial reference to term, 389*
significance of coronary circulation in, 390*
theophyllin in treatment of, 393*
treatment of angina pectoris and congestive failure, by total ablation of normal thyroid, results in, 596
axis deviation, left, with and without, 700*
chronic, treatment of, by total ablation of thyroid gland, 17
clinical findings and therapy, 1129 (Book review)
congenital, 699*
differentiation of, and pulmonary disease, 833*
esophagus, roentgenographic appearance of, in diagnosis of, and aorta, 834*
exercise in, respiratory exchange during, 131*
in children, aspects of, 418*
convalescent care of, 271*
in Middle West, 278*
in Pacific Northwest, 846
interlobar effusions in patients with, 230
intractable, treatment of, further experiences with total thyroidectomy, 736
living along with, 1128 (Book review)
mercurials, use of, in, 270*
organic, auricular fibrillation and flutter without, 420*
incidence of neurocirculatory asthenia with and without, 140*
mortality rate of, by geographical areas in United States, 955

Heart disease—Cont'd
orthodiagram in diagnosis and treatment of, 1104*
patients with, effect of light muscle training, 560*
oxygen consumption, increased mechanism of, in, 1122*
practical talks on, 285 (Book review)
review of contributions made during 1934, 842*
rheumatic, active, precordial lead of electrocardiogram as aid in recognition of, 881
in adults, factors pertaining to age at initial infection, development of cardiac insufficiency, duration of life and cause of death, 459
II. influence of type of valvular lesion on, 478
III. influence of auricular fibrillation on course of, 630
IV. life history of severe form of disease, 486
cardiac hypertrophy, factors concerned in, 190
clinical data observed in Louisville, Ky., 128*
influence of auricular fibrillation, 630
mitral, coexistence of syphilitic aortic insufficiency and, 991*
periarteritis nodosa associated with, 130*
portal obstruction in, with adherent pericardium: rupture of retroperitoneal varix with fatal hemoperitoneum, 255
probable, isolated tricuspid stenosis of, 992*
social incidence of, 283*
studies in, 62
treatment of, by fever, 835*
syphilitic, aortic insufficiency, coexistence of rheumatic mitral disease, 991*
verodigen, use of, in, its biological assay and pharmacological action, 982*
hypertrophy of, factors concerned in, in rheumatic heart disease, 190
relation of arteriosclerosis to, 844*
in adolescence, 561*
in myxedema, artificial, 17
in thyroid disease, effect of thyroidectomy on orthodiagram, 988*
in typhoid fever, 793
metabolism, carbohydrate, of, changes of, following coronary occlusion, 277*
monoiodoacetic acid and sodium cyanide, effect of injections of, on, 558*
murmurs, middiastolic, at cardiac apex, discussion of frequent misinterpretation of, 995
new method for differentiation of aortic and pulmonary, 990*
produced by auricular systole, and sounds, 703*
variability of, in mitral stenosis, 1122*
muscle, insufficiency of, advanced, results of intensive ambulatory treatment of, 269
cardiac output in relation to, 133*
chronic, and angina pectoris, therapeutic effect of total ablation of normal thyroid on, 135*
development of, factors pertaining to age of initial infections, duration of life, and cause of death in course of rheumatic heart disease in adults, 459
diuretic effect of heart output on patients with, 984*
fever, unexplained in, 279*
fever in, relation between temperature of interior and surface of body, 280*
form of hypervolemia, 992*
initial attack, duration of life following, 1099*

Heart muscle insufficiency—Cont'd
interrelationship of, and arteriosclerotic heart disease, 643
left side, circulation time in, 565*
mechanism of cardiac asthma in, 139*
of relief of early pain in, and angina pectoris, after total ablation of normal thyroid gland, 128*
method for obtaining "mixed" venous blood by arterial puncture, 138*
non-apparent, 419*
of right ventricle, carcinomatous endarteritis of pulmonary vessels resulting in, 275
orthopnea and right hydrothorax, anatomical and hydrostatic basis of, 1047
pulmonary system, effect of prolonged residence in high oxygen atmosphere on, 132*
treatment of, and angina pectoris by total ablation of normal thyroid gland, 419*
by total ablation of normal thyroid gland, and angina pectoris, sensitivity of man to epinephrine injected intravenously before and after, 985*
venesection, effect of, on arterial, spinal fluid and venous pressure with special reference to, 702*
venous, peripheral, phenomena in, 1100*
normal, in pregnancy, electrocardiogram of, 110
of ricksha pullers, 79
output of, 281*
basal, estimation of, and metabolism, heart size, and blood pressure, 140*
diuretics, effect of, on, of patients with congestive heart failure, 984*
in relation to cardiac failure, 133*
minute volume of, effect of irregular rhythm of heart, 834*
and work of heart in hypothyroidism, 989*
effect of posture on, 557*
under basal and postprandial conditions and related functions, 836*
position of, effect of, on electrocardiogram in revived perfused human hearts in normal position, 605
obtained from dog's heart placed in human pericardial cavity, 614
relation of, to initial ventricular deflections in experimental bundle-branch block, 1042
revived human coronary flow of, effect of vagus and sympathetic stimulation of, 281*
rhythm, irregular, effect of, on minute volume output of blood from heart of human beings, 834*
scarlet fever, effect of, on, 562*
silhouette, growth of, and thoraco-abdominal cavity during infancy: influence of undernutrition, 268*
size of, cardiac transverse diameter, estimation of, in children and comparison with cardiac area, 414*
coronary thrombosis and its effect on, 390*
estimation of, basal cardiac output, metabolism and blood pressure, 140*
measurement of, in normal children, 1125*
sounds, electrostethograph for recording, 564*
first, intensity of, factors influencing, 1103*
split, influence of varying AS-VS intervals on, bearing on cause of split sounds, and mechanism of first sound, 1121*
and second split mechanism of, bearing on asynchronism in contraction of ventricles in so-

Heart sounds, first split—Cont'd
called common type of bundle-branch block, and on determination of side of significant lesion, 425
new method for recording, 453
phonocardiographic studies of total auriculoventricular block, 991*
recording, new method, 833*
Wiggers-Dean method, modification of, using audio amplification, 965
systole, auricular, produced by, 703*
value of records of, in diagnosis of mitral stenosis, 654
standstill, induced, of, effect of drugs on, further observations on, 133*
studies of, and circulation in disease, 140*
thyroidectomy, effect of, on orthodiagram, 988*
valves, position of, and their relation to anterior chest wall in living subjects with abnormal hearts, 156
visible, 424 (Book review)
work of, minute volume output of heart and, in hypothyroidism, 989*
wounds, nonpenetrative, of, 293
stab, of, study of electrocardiographic changes, polyserositis and pericarditis in, 983*
Heart-block, auriculoventricular, etiology and pathogenesis, 1103*
primary, case of sinoauricular block and almost complete auriculoventricular dissociation, without, 553
relationship of, and intraventricular, to clinical manifestations of coronary disease, angina pectoris and coronary thrombosis, 1067
total, phonocardiographic studies of, 991*
bundle-branch, characteristic variations in certain experimental chest leads with experimentally produced myocardial lesions, experimental ventricular extrasystoles and, 835*
common type, so-called, asynchronism in contraction of ventricles in: its bearing on determination of side of significant lesion and on mechanism of split first and second heart sounds, 425
complete, recurrent, transient, 248
delay in onset of, ejection of left ventricle in, 681
experimental, initial ventricular deflection, relation of position of heart to, 1042
resulting from previous coronary disease, electrocardiographic evidence of recent coronary thrombosis superimposed on, 260
right, follow-up study of 64 patients with, 1056
complete, congenital with labile ventricular rate, 376
transient of vagovagal reflex origin, Adams-Stokes syndrome with, 416*
ventricular rate in, effect of bodily rest, muscular activity and induced pyrexia on patients with, 131*
intraventricular, relationship of, and auriculoventricular to, clinical manifestations of coronary disease, angina pectoris, and coronary thrombosis, 1067
partial, extraordinary degree of, 969
sino-auricular, case of, and almost complete dissociation without primary auriculoventricular block, 553
symptoms of, calcareous aortic stenosis, and angina pectoris as, 989*
in rheumatic fever, 129*
Heat, regulatory mechanism, influence of, on Raynaud's disease, 1005
Hemoperitoneum (*See* hemorrhage, intra-abdominal)
Hemorrhage, intraabdominal, fatal; rupture of retroperitoneal varix with portal obstruction in rheumatic heart disease with adherent pericardium, 255
Hepburn, J., and Rykert, H. E., 942
Herndon, James H., and Whitten, M. B., 392*
Herrmann, George, and Schwab, E. H., 843*
Herrmann, L. G., 1103*
Heuer, George J., and Page, Irvine H., 420*
Hill, Albert A., Scott, R. W., and Seecof, D. P., 355
Hill, Harold H., and Feldman, L., 110
Hill, Ian G. W., Wilson, F. N., and Johnston, F. D., 163, 176, 889, 903, 1025
Himwich, H. E., Goldfarb, W., and Nahum, L. H., 277*
Hines, Don Carlos, and Wood, D. A., 874
Hirschboeck, F. J., 264
Hiss, J. G. Fred, Robb, J. S., and Robb, R. C., 287
—, —, Dooley, M. S., and Robb, R. C., 1012
Histamine, area of flare, effect of arteriosclerosis and benign and malignant hypertension, 136*
blood flow, cerebral, in man, influenced by adrenalin, caffein, amyl nitrite and, 916
Hitzig, William M., 1080
—, Fishberg, A. M., and King, F. H., 417,* 566*
Hitzrot, Lewis H., and Landis, E. M., 561*
Hoff, H. E., and Nahum, L. H., 558*
Hollingsworth, Edward W., and McNamara, W. L., 394*
Hooker, Donald R., Clark, J. H., and Weed, L. H., 137*
Horine, Emmet F., and Weiss, M. M., 390*
Horton, Bayard T., and Morlock, C. G., 848*
Howard, Frederick H., 933*
Hsieh, C. K., Tung, C. L., Bien, C. W., and Dieuaide, F. R., 79
Hum, venous, and nonorganic auscultatory cardiac findings in children, evaluation of, 129*
Hurewitz, H. M., Fowler, W. M., and Smith, F. M., 395*
Hydrothorax, right, anatomical and hydrostatic basis of, and of orthopnea in cardiac failure, 1047
Hyman, Albert S., 270*
Hypertension, arterial, bismuth subnitrate, therapeutic efficacy of, 137*
cerebrospinal fluid pressure in, 422*
Duroziez's sign in normal subjects and in patients with, with special reference to its relation to capillary pulsation and to forward flow of blood during diastole, 563
arteriolar lesions of skeletal muscle in, 355
benign and malignant, and arteriosclerosis, effect of, on area of histamine flares, 136*
certain cases of electrocardiographic abnormalities, characteristics of, 942
coronary sclerosis, incidence of, and angina pectoris, 367
essential, and nephritis, effect of renal efficiency of lowering arterial blood pressure in, 280*
cardiovascular response to subcutaneous injections of epinephrine and pituitrin in, 598*
effect of renal denervation on level of arterial blood pressure and renal function in, 420*
significance of vessels of skin in, 280*
treatment, surgical, 420

Hypertension—Cont'd
experimental, production of, correlated effect upon nitrogen distribution of blood proteins, 1125*
malignant, 563*
patients with, acetyl-β-methylcholin, action of, on blood pressure, skin temperature and heart as exhibited by electrocardiogram in, 558*
transverse diameter of heart, with clinical measurements checked by postmortem studies, 565*
Hyperthyroidism, auricular fibrillation in, 840*
experimental, creatinin content and weight of ventricles in, and after thyroparathyroidectomy, 133*
Hypervolemia, form of, in cardiac decompensation, 992

I

Incidence, social, of rheumatic heart disease, 283*
India, rheumatism in childhood, 1123*
Infants, growth of cardiac silhouette and thoraco-abdominal cavity in, influence of undernutrition, 268*
rheumatic infection in, 838*
Infarcts of heart (*See* myocardium, infarct of)
Influenza, epidemic of, followed by hemolytic streptococcus infection in rheumatic colony, 1123*
Ingerman, Eugenia, Wilson, M. G., Dubois, R. O., and Spock, B. McL., 704*
Iodine, effect of, on cholesterol induced atherosclerosis, 1125*
Iontophoresis of, acetyl-β-methylcholin chloride in treatment of chronic arthritis and peripheral vascular disease, 137*

J

Jaffe, Harry L., Master, A. M., and Dack, S., 833,* 1102*
Jeffers, Williams A., Wood, F. C., and Wolferth, C. C., 1056
Jenks, James L., Jr., and Graybiel, A., 693
Jezer, Abraham, and Schwartz, S. P., 124, 272*
Jobling, James W., and Meeker, D. R., 134*
—, —, and Kesten, H. D., 1125*
Johnston, Charles G., and Bellet, S., 134*
—, —, and Schecter, A., 275*
Johnston, Franklin, D., 654
—, and Kossman, C. E., 925
—, Wilson, F. N., and Hill, I. G. W., 163, 176, 889, 903, 1025
—, —, Macleod, A. G., and Barker, P. S., 46
Jones, Edgar, 1126*
Jones, T. Duckett, and Bland, E. F., 1124*
—, —, and White, P. D., 995
Josephs, Marion G., 1125*
Jost, E. L., Seegal, D., and Seegal, E. B. C., 1124*

K

Kapp, Louis A., 1102*
Katz, Louis N., 322
—, and Bohning, A., 842*
—, —, and Landt, H., 394,* 681
—, and Korey, H., 284*
—, and Landt, H., 699*
—, Mayne, W., and Weinstein, W., 847*
—, Pwelow S., and Markle, P., 136*
—, Saphir, O., and Strauss, H., 542
—, —, Priest, W. S., Hamburger, W. M., 567
—, and Strauss, H., 546
Keefer, Chester S., and Mallory, G. K., 208
Kerr, William J., 1100*
Kesten, H. D., Meeker, D. R., and Jobling, J. W., 1125*
Kidney, denervation of, effect of, on level of arterial blood pressure and renal function in essential hypertension, 420*
efficiency of, effect of lowering arterial blood pressure in cases of essential hypertension and nephritis, 280*
function of, effect of renal denervation on level of arterial blood pressure and, in essential hypertension, 420*
King, C. E., Harrison, T. R., Calhoun, J. A., and Harrison, W. G., Jr., 138*
King, Frederick H., Fishberg, A. M., and Hitzig, W. M., 417*
King, Robert L., 846*
Kirk, Esben, and Steele, J. M., 280*
Kisch, Bruno, 994*
Kleefield, Elmer A., and Benenson, W., 832*
Koenig, K. F., Kountz, W. B., and Pearson, E. F., 281,* 605
Korey, Herman, and Katz, L. N., 284*
Korth, C., and Proger, S. H., 560*
Kossman, Charles E., and Johnston, F. D., 925
Kouchy, J. D., and Millis, G., 983*
Kountz, W. B., Pearson, E. F., and Koenig, K. F., 281*
—, Prinzmetal, M., and Smith, J. R., 614
—, —, Pearson, E. F., and Koenig, K. F., 605
Kovacs, Joseph, 137*
Krahulik, L., Rosenthal, M., and Loughlin, H. E., 984*
Kurtz, Chester M., 1104*
Kutumbiah, P., 1123*

L

La Place, L. B., 840*
Lactic acid, production of, in extremities during rest and exercise, and oxygen utilization, 837*
Landis, Eugene M., and Hitzrot, L. H., 561*
Landt, Harry, and Katz, L. N., 699*
—, —, and Bohning, A., 394,* 681
Laubry, C. H., 1130
Lead, chest, electrocardiogram, normal in 200 individuals with especial reference to, 1101*
experimental, characteristic variations in, with experimentally produced myocardial lesions, experimental ventricular extrasystoles and bundle-branch block, 835*
use of, in clinical electrocardiography, 798
esophageal in human subject, electrocardiographic tracings obtained by use of, 1101*
nine, hook-up, clinical use of, 270*
precordial, appearance of, effect of digitalis on, 546
in electrocardiography, 283*
of electrocardiogram, as aid in recognition of active carditis in rheumatic fever, 881
potential variations in precordium and, of extremities in normal subjects, 925
value, clinical of, as observed in 3000 ambulatory patients, 1102*
ventricular complexes in, initial phases of, effect of coronary occlusion on, 134*
Leader, Sidney, and Schwarz, H., 846*
Leary, Timothy, 328, 338
Leaske, Marguerite M., Wilson, M. G., and Wheeler, G. W., 837,* 838*
Lennox, W. G., Gibbs, F. A., and Gibbs, E. L., 916
Levin, E., 992*
Levin, Louis, 1128
Levine, Harold D., 376
Levine, Samuel A., and Brown, M. G., 844*
—, and Eppinger, E. C., 736
—, and Friedlander, R. D., 420*

Levy, Robert L., and Bruenn, H. G., 881
—, Turner, K. B., and Bruenn, H. G., 391*
Lewis, Thomas, and Pickering, G. W., 422*
Lewis, William H., and Cohn, A. E., 841*
Life, duration of, factors pertaining to age, initial infections, development of cardiac insufficiency, and cause of death in course of rheumatic heart disease in adults, 459
following initial attack of heart failure, 1099*
Lingg, Claire, and DeGraff, A. C., 459, 478, 630
—, Maynard, E. P., Jr., Curran, J. A., Rosen, I. T., and Williamson, C. G., 844*
Lipoids, permeability of blood capillaries to, 277*
Lisa, James R., and Chandler, G. J., 557*
Lissner, Henry H., Goffin, J. L. C., and Rosenfeld, M. H., 561*
Livingston, A. E., Stroud, W. D., Bromer, A. W., VanderVeer, J. B., and Griffith, G. C., 982*
Lockhart, M. L., Bierring, W. L., and Bone, H. C., 564*
Lombardine, R. Velasco, and Duomarco, J., 276*
Loughlin, H. E., Krahulik, L., and Rosenthal, M., 984*
Loy, David T., Ginsberg, A. M., and Stoland, O. O., 698*
Lundy, Clayton J., McLellan, L. L., Bacon, C. M., and Merchant, R., 1102*

M

Macleod, A. Garrard, Wilson, F. N., Barker, P. S., and Johnston, F. D., 46
Magee, H. Ross, and Smith, H. L., 840*
Magendantz, H., Proger, S. H., and Minnich, W. R., 511
Mallory, G. Kenneth, and Keefer, C. S., 208
Maly, Henry W., and Hansen, O. S., 279*
Marble, Alexander, Field, M. E., Drinker, C. K., and Smith, R. M., 277*
Marchal, Georges, 1130
Margolies, Alexander, and Wolferth, C. C., 425, 1103,* 1121*
—, Rose, E., and Wood, F. C., 988,* 998*
—, Starr, I., Jr., Donal, J. S., Shaw, R., Collins, L. H., and Gamble, C. J., 140*
Markle, P., Pwelow, S., and Katz, L. N., 136*
Marquis, Harold, Sacks, H. A., and Blumenthal, B., 965
Martin, Alexander T., 271*
Marvin, H. M., and Sullivan, A. G., 705
Master, Arthur M., 495
—, Jaffe, H. L., and Dack, J., 833,* 1102*
Maynard, Edwin P., Jr., Curran, J. A., Rosen, I. T., Williamson, C. G., and Lingg, C., 844*
Mayne, Walter, Katz, L. N., and Weinstein, W., 847*
McCarter, J. C., and Middleton, W. S., 984*
McEwen, Currier, 564*
McFetridge, Elizabeth M., and Veal, J. R., 559*
McGinn, Sylvester, and White, P. D., 273,* 839*
McGuire, Johnson, 360
McIntosh, Rustin, and Wood, C. L., 838*
McLellan, Lawrence L., Lundy, C. J., Bacon, C. M., and Merchant, R., 1102*
McMahon, H. E., and Pratt, J. H., 563*
McNamara, W. L., and Hollingsworth, E. W., 394*
Meeker, Dorothy R., and Jobling, J. W., 134*
—, Kesten, H. D., and Jobling, J. W., 1125*
Menendez, E. Braun, Battro, A., and Orias, O., 276*
—, and Cassio, D. P., 991*
—, and Orias, O., 277*
Merchant, Roy, Lundy, C. J., Bacon, C. M., and McLellan, L. L., 1102*
Mercupurin, effect, diuretic, in man, 832*
Mercury, use of, in heart disease, 270*
Metabolism, carbohydrate, changes of, of heart following coronary occlusion, 277*
estimation of, and basal cardiac output, heart size and blood pressure, 140*
Methylene blue, intravenous injection in man with reference to its toxic symptoms and effect on electrocardiogram, 137*
Middle West, heart disease in, 278*
Middleton, William S., Arnold, H. L., and Chen, K. K., 697*
—, and McCarter, J. C., 984*
Millis, G., and Kouchy, J. D., 983*
Minnich, W. R., and Magendantz, H., 511
—, Proger, S. H., and Magendantz, H., 511
Monoiodoacetic acid, effect of injections of, and sodium cyanide on mammalian heart, 558*
Moore, Joseph Earle, and Padget, P., 1017
Moritz, Alan R., and Beck, C. S., 874
Morlock, Carl G., and Horton, B. T., 848*
Mortality rate of organic disease of heart by geographical areas of United States, 955
Mosenthal, Herman O. and Poindexter, C. A., 272*
Muir, D. C., and Brown, J. W., 699*
Mulvey, Bert E., and Ernstene, A. C., 284*
Muscle, skeletal, arteriolar lesions of, in hypertension, 355
training, light, effect of, on patients with heart disease, 560*
Myers, Walter K., and Ferris, E. B., Jr., 846*
Myocarditis, diphtheritic, pathological analysis of, with especial reference to electrocardiographic findings, 1100*
rheumatic, relationship of auricular fibrillation to, and mitral valvular deformities, 62
Myocardium area, ischemic, factors concerned in arrest of contraction in, 1120*
calcification of, following coronary occlusion, 264
and pericardium of rabbits, sensitized to streptococci, 1124*
coronary arteriosclerosis and coronary thrombosis; evaluation of their respective clinical pictures, including electrocardiographic records, based on the anatomical findings, 567
contraction of, effect of coronary occlusion on, 843*
diseases of, 566 (Book review)
function of, two-step test of, 495
infarction of, 141 (Book review)
acute, factors which obscure electrocardiographic diagnosis and localization of, and recent observations permitting greater accuracy of diagnosis, 391*
involving anterior and posterior surfaces of ventricle, 990*
circulatory diagnosis in, 417*
effect of, on tolerance of dogs to digitalis, 275*
electrocardiogram in, 696*
experimental, form of, electrocardiogram in, 889, 903, 1025
induced experimentally in dog, effect of theophyllin ethylendiamine on, 395*
lesions of, experimentally produced, characteristic variations in certain experimental chest leads, experimental ventricular extrasystoles and bundle-branch block, 835*

Myocardium, infarction, lesions—Cont'd
specific, effect of ouabain upon electrocardiogram of, 1012
localization of, according to component ventricular muscles, 287
prognosis in, 282*
symptoms of, relation of, to pathological findings, 391*
Myxedema, artificial, heart in, 17

N

Nadler, J. Ernest, DeGraff, A. C., and Batterman, R. C., 832*
—, Green, H., and Rosenbaum, A., 137*
Nahum, L. H., Himwich, H. E., and Goldfarb, W., 277*
—, and Hoff, H. E., 558*
Nathanson, M. H., 133,* 393*
Neiman, Benjamin, H., 130*
Nemet, Geza, and Gross, H., 643
Nephritis, case of, and essential hypertension, effect on renal efficiency of lowering arterial blood pressure in, 280*
effect of continuous infusion of minute doses of epinephrine on blood pressure, urea excretion and urine volume in various clinical conditions including, 272*
Nephritis, acute glomerular, geographical distribution of, in North America, rheumatic fever and scarlet fever, 1124*
hemorrhagic, patent ductus arteriosus complicated by, and endocarditis, 974
Nephrosclerosis, malignant, 563*
Nerves, phrenic heart after interruption of, 279*
splanchnic, major and minor, resection, unilateral and bilateral of, 275*
sympathetic, stimulation of, and vagus, effect of, observations on, on the coronary flow of the revived human heart, 281*
New York Committee on Cardiac Clinics, 268, 832
Nicolson, Getrude, H. B., and Appelbaum, E., 662
Norris, Robert F., 1126*
North America, geographical distribution of rheumatic fever, scarlet fever, and glomerulonephritis, 1124*
Nutrition, influence of, on growth of cardiac silhouette and thoracoabdominal cavity during infancy, 268*
Nuzum, F. R., and Elliott, A. H., 56
—, —, and Evans, R. D., 367

O

Occlusion of coronary artery (*See* artery, coronary)
Ohler, W. Richard, Faulkner, J. M., and Place, E. H., 562*
Oppenheim, Charles J., 271*
Orgain, Edward S., and Sprague, H. B., 392,* 700*
Orias, O., Battro, A., and Menendez, E. B., 276*
—, and Cossio, P., 702*
—, and Menendez, E. B., 277*
Orthodiagram in diagnosis and treatment of heart disease, 1104*
effect of thyroidectomy on, 988*
Orthopnea, anatomical and hydrostatic basis, of, and of right hydrothorax in cardiac failure, 1047
Ouabain, effect of, upon electrocardiogram of specific muscle lesions, 1012
Oughterson, Ashley W., 1100*
Oxygen consumption, increased, mechanism of, in patients with cardiac disease, 1123*
high, atmosphere, prolonged residence in, effect on normal individuals and on patients with chronic cardiac and pulmonary insufficiency, 132*
utilization and lactic acid production, in extremities during rest and exercise, 837*

P

Padget, Paul, and Moore, J. E., 1017
Padilla, T., and Cossio, P., 282*
Page, Irvine H., 280,* 558*
—, and Heuer, G. J., 420,* 420*
Pain, anginal, and coronary disease, 391
cardiac, presence of pain fibers in nerve plexus surrounding coronary vessels, 847*
in thromboangiitis obliterans, 847*
mechanism of production in angina pectoris, 322
muscle, skeletal, production of, factors involved in, 136*
relief, early, mechanism of, in patients with angina pectoris and congestive failure after total ablation of normal thyroid gland, 128*
Pappenheimer, Alwin M., and Von Glahn, W. C., 562*
Parathyroid, function of, postoperative, clinical observations and serum calcium and phosphorus studies, 135*
Paul, John R., Harrison, E. R., Salinger, R., and DeForest, G. K., 283*
Paul, W. D., Smith, F. M., and Rathe, H. W., 390,* 393*
Pauli, Ruth H., and Coburn, A. F., 1122,* 1123*
Pearson, E. F., Kountz, W. B., and Koenig, K. F., 281*
—, —, Prinzmetal, M., and Koenig, K. F., 605
Pearse, Herman E., Jr., 1005
Penich, R. M., Jr., Baker, B. M., and Thomas, C. B., 1124*
Periarteritis nodosa associated with rheumatic heart disease, 730*
diagnosis of, 984*
necrotizing panarteritis in childhood with meningeal involvement, 984*
without peripheral nodules, diagnosed antemortem, 983*
Pericarditis, mediastino-, adhesive, with normal cardiac electrical axis rotation on postural change, 240
obstructing resection of pericardium, effect of, on circulation of a patient with concretio cordis, 983*
serofibrinous, following acute coronary vessel closure, 253
from stab wounds of heart, study of electrocardiographic changes, and polyserositis, 983
Pericardium, adherent, portal obstruction in rheumatic heart disease with: rupture of retroperitoneal varix with fatal hemoperitonium, 255
changes in, and myocardium of rabbits sensitized to streptococci, 1124
disease of, 423 (Book review)
resection of, effect of, on circulation of patient with concretio cordis, 983*
Phonocardiogram, studies of, in young adult heart, 277*
in total auriculoventricular block, 991*
Photography, infra red, demonstration of collateral venous circulation in abdominal wall by means of, 1126*
Physiology in health and disease, 424 (Book review)
Pickering, G. W., 422*
—, and Lewis, T., 422*
—, and Wagner, E. J., 418*
Pituitary substance, cardiovascular response to subcutaneous injections of epinephrine and pituitrin in essential hypertension, 698*
Place, Edwin H., Faulkner, J. M., and Ohler, W. R., 562*
Pleurisy with effusion, interlobar, in patients with heart disease, 230
Pneumonia, lobar, and digitalis, 841*
Poindexter, Charles A., and Mosenthal, H. O., 272*

Polevski, J., 424
Polyserositis from stab wound of heart, study of electrocardiographic changes, and pericarditis, 983*
Pomerance, Max, and Frucht, S., 129*
Portal vein, obstruction of, in rheumatic heart disease with adherent pericardium: rupture of retroperitoneal varix with fatal hemoperitonium, 255
Porter, William B., and Bloom, N., 793
Position, change of, continuous measurement of velocity of human blood flow in arm during exercise and, 282*
Posture, change of, mediastinopericarditis, adhesive, with normal cardiac electrical axis rotation in, 240
effect of, on minute volume of heart, 557*
Poynton, F. J., 418*
Pratt, J. H., and McMahon, H. E., 563*
Pregnancy, electrocardiogram of normal heart in, 110
Priest, Walter S., Saphir, O., Hamburger, W. W., and Katz, L. N., 567
Prinzmetal, Myron, Kountz, W. B., Pearson, E. F., and Koenig, K. F., 605
—, —, and Smith, J. R., 614
Proger, S. H., and Dexter, L., 282*
—, and Korth, C., 560*
—, and Minnich, W. R., 700*
—, —, and Magendantz, H., 511
Protein, plasma and edema, cardiac, 421*
Pwelow, S., Markle, P., and Katz, L. N., 136*
Pulmonary system, insufficiency of, and heart muscle, patient with, effect of prolonged residence in high oxygen atmosphere and on normal individuals, 132*
Purkinje system, fibers of, in walls of mammalian ventricles, 268*
Pyrexia, induced, effect of bodily rest, muscular activity and, on the ventricular rate in complete heart block, 131*

Q

Quinidine and quinine, action of, on patients with transient ventricular fibrillation, 272*
in treatment of premature contractions, and strychnine, 697*
sulphate, use of, in patient with auricular flutter, unusual manifestations following, 124
Quinine, action of, on patients with transient ventricular fibrillation, and quinidine, 272*
Quirno, Norberto, and Cobo, J. L., 841*

R

Rafsky, H. A., Bernhard, A., and Rohdenberg, G. L., 1125*
Rathey, H. W., Smith, F. M., and Paul, W. D., 390,* 393*
Rawson, Vance, and Sutten, D. C., 1096
Raynaud's disease, heat regulatory mechanism, influence of, 1005
observations relevant to so-called; observations upon maladies in which the blood supply to digits ceases intermittently or permanently, and upon bilateral gangrene of digits, 422*
Reflex, gallbladder-heart in man under spinal anesthesia, 550
vagovagal, heart block, complete, transient, of, origin, Adams-Stokes' syndrome with, 416*
Resnik, Harry, Jr., and Friedman, B., 1122*
—, —, Calhoun, J. A., and Harrison, T. R., 984*
—, Harrison, T. R., Friedman, B., and Clark, G., 133*
Respiration, exchange of, during exercise in heart disease, 131*
Cheyne Stokes, as cause of paroxysmal dyspnea at onset of sleep, 138*
Respiratory tract, disease of, differentiation of, and cardiac disease, 833*
infection of upper, relation of, to rheumatic fever in children
I. Significance of hemolytic streptococci in pharyngeal flora during respiratory infection, 704*
II. Antihemolysin titre in respiratory infections and their significance in rheumatic fever in children, 837*
III. Seasonal bacterial flora of throat in rheumatic and nonrheumatic children, 838*
Rest, bodily, effect of muscular activity, and induced pyrexia on ventricular rate in complete heart block, 131*
Rheumatic fever, carditis, active, in recognition of, aid in, precordial leads of electrocardiogram, 881
events preceding appearance of, 1124*
exudate of, cells in, 564*
geographical distribution of, in North America, scarlet fever and glomerulonephritis, acute, 1124*
heart block in, 129*
infection occurring in first three years of life, 838*
initial attacks of, in patients over sixty years of age, 846*
relation of upper respiratory infection to, in children:
I. Significance of hemolytic streptococci in pharyngeal flora during respiratory infections, 704*
II. Antihemolysin titres in respiratory infections and their significance in rheumatic children, 838*
III. Seasonal bacterial flora of throat in rheumatic and nonrheumatic children, 838*
subject, immune response of, and relationship to activity of rheumatic process:
determination of antistreptolysin titer, 1122*
observations on epidemic influenza followed by hemolytic streptococcus infections in rheumatic colony, 1122*
observations on reaction of rheumatic group to epidemic infection with hemolytic streptococci of single type, 1123*
Rheumatism, acute, etiology of, and chorea, in relation to social and environmental factors, 129*
in childhood in India, 1123*
heart and great vessels in combined syphilis and, 557*
Richards, Dickinson W., and Barach, A. L., 132*
Richter, Harry A., 700*
Riseman, Joseph E. F., Berlin, D. D., Blumgart, H. L., Weinstein, A. A., and Davis, D., 419*
—, Blumgart, H. L., Davis, D., and Weinstein, A. A., 17, 596
—, Gilligan, D. R., and Blumgart, H. L., 985*
—, and Stern, B., 278*
Rivolta, L. A., 283*
Robb, Jane Sands, Dooley, M. S., Hiss, J. G. F., and Robb, R. C., 1012
—, Hiss, J. G. F., and Robb, R. C., 287
Robb, Robert C., Dooley, M. S., Hiss, J. G. F., and Robb, J. S., 1012
—, Hiss, J. G. F., and Robb, J. S., 287
Roentgenogram of heart in systole and diastole, 283*
Roentgenology, cardiovascular, in health and disease, 424 (Book review)
diagnosis of intra-cardiac calcifications, 557*

Robertson, Harold F., 533
—, and Fetter, F., 702*
Roesler, Hugo, 414*
—, and Bishop, P. A., 557*
Rohdenberg, G. L., Rafsky, H. A., and Bernhard, A., 1125*
Root, H. F., and Sharkey, T. P., 390*
Rose, E., Margolies, A., and Wood, F. C., 988*
Rosen, I. T., Maynard, E. P., Jr., Curran, J. A., Williamson, C. G., and Lingg, C., 844
Rosenbaum, Arthur, Nadler, J. E., and Green, H., 137*
Rosenblum, Harold, and Sampson, J. J., 240
Rosenfeld, Maurice H., Lissner, H. H., and Goffin, J. L. C., 561*
Rosenthal, M., Krahulik, L., and Loughlin, H. E., 984*
Rottino, Antonio, de la Chapelle, C. E., and Graef, I., 62
Rubenfeld, S. H., and Bettman, R. B., 550
Ruddock, John C., 279*
Rykert, H. E., and Hepburn, J., 942
Rynearson, Edward H., and Boothby, W. M., 836*

S

Sacks, Herbert A., Marquis, H., and Blumenthal, B., 965
Sager, Robert V., and Sohval, A. S., 273*
Salcedo-Salgar, Jorge, and White, P. D., 1067
Salicylate, intoxications by, modifying action of calcium and sodium bicarbonate on, 134*
Salinger, R., Paul, J. R., Harrison, E. R., and DeForest, G. K., 283*
Salyrgan, diuresis following administration of, effect on specific gravity, total nitrogen and colloid osmotic pressure of plasma of normal and of edematous dogs, 292*
Sampson, John J., and Rosenblum, H., 240
Saphir, Otto, Katz, L. N., and Strauss, H., 542
—, Priest, W. S., Hamburger, W. W., and Katz, L. N., 567
Scarlet fever, geographical distribution of, in North America, rheumatic fever and acute glomerulonephritis, 1124*
effect of, on heart, 562*
Schecter, A., Bellet, S., and Johnston, C. G., 275*
Scherf, D., 1129
Schneider, Donald E., and Abeles, M. M., 1126*
Schneider, Edward C., and Crampton, C. B., 577*
Schwab, Edward H., and Herrmann, G., 843*
Schwartz, Sidney P., 253
—, and Jezer, A., 124, 272*
Schwarz, Herman, and Leader, S., 846*
Schwarzschild, Myron M., and Feltenstein, M. D., 453, 833*
Schwedel, John B., 834*
—, and Stein, I. D., 230
Scott, R. W., Seecof, D. P., and Hill, A. A., 355
Scupham, George W., 558*
Seecof, David P., Scott, R. W., and Hill, A. A., 355
Seegal, David, Seegal, E. B. C., and Jost, E. L., 1124*
Seegal, F. B. C., Seegal, D., and Jost, E. L., 1124*
Segal, Maurice S., 981*
Septum of heart, intraventricular, membranous, syphilis of, and mitral valve, 991*
Shambaugh, Philip, 990*
—, and Cutler, E. C., 221
Sharkey, T. P., and Root, H. F., 390*
Shaw, R., Donal, J. S., and Gamble, R., 281*
—, Starr, I., Jr., Donal, J. S., Margolies, A., Collins, L. H., and Gamble, C. J., 140*
Shipley, R. A., and Hallaran, W., 1101*
Siemsen, Walter J., 129*
Simmons, Stanley T., 128*
Skin, vessels of, significance of, in essential hypertension, 280*
Sleep, onset of, paroxysmal dyspnea at, Cheyne-Stokes respiration, as cause of, 138*
Smith, Fred M., Fowler, W. M., and Hurewitz, H. M., 395*
—, Paul, W. D., and Rathe, H. W., 390,* 393*
Smith, Harry L., and Magee, H. R., 840*
—, and Willius, F. A., 190
Smith, J. R., Kountz, W. B., and Prinzmetal, M., 614
Smith, Lawrence, Burkhardt, E. A., and Eggleston, C., 1100*
Smith, Rachel M., Marble, A., Field, M. E., and Drinker, C. K., 277*
Smith, R. Eloise, and Wedd, A. M., 392,* 702*
Snyder, Maurice, and Ernstene, A. C., 136*
Sodium bicarbonate, action modifying of, and calcium, on salicylate intoxication, 134*
cyanide, effect of injections of, and monoiodoacetic acid on mammalian heart, 558*
Sohval, Arthur J., and Sager, R. V., 273*
Sosman, Merrill C., and Wosika, P. H., 156
Spinal fluid pressure, effect of venesection on, and arterial and venous pressure, with especial reference to failure of left and right heart, 702*
Spink, Wesley W., 983*
Spleen, pulsating, case of, in mitral and tricuspid disease, 1096
Spock, Benjamin McL., Wilson, M. G., Ingerman, E., and DuBois, R. O., 704*
Sprague, Howard B., and Orgain, E. S., 392,* 700*
Starr, Isaac, Jr., Donal, J. S., Margolies, A., Shaw, R., Collins, L. H., and Gamble, C. J., 140*
Stead, E. A., Jr., Bryan, A. H., Evans, W. A., Jr., and Fulton, M. N., 982*
Steele, J. Murray, 280,* 1099
—, and Cohn, A. E., 279*
—, and Kirk, E., 280*
Steiglitz, Edward J., 993*
Stein, Irwin, D., and Schwedel, J. B., 230
Stern, Beatrice, Gilligan, D. R., Berlin, D. D., Volk, M. C., and Blumgart, H. L., 135*
—, and Riseman, J. E. F., 278*
Stewart, Harold J., Crane, N. F., Deitrick, J. E., and Thompson, W. P., 834*
Stoland, O. O., Ginsberg, A. M., and Loy, D. T., 698*
Stomach, distention of, effect of, food, external temperature and repeated exercise on angina of effort, with note on angina sine dolore, 417*
Strauss, Harry, 553
—, and Katz, L. N., 546
—, —, and Saphir, O., 542
Streptococcus hemolyticus, antigen titer, determination of, 1122*
changes in myocardium and pericardium of rabbits sensitized to, 1124*
infection in rheumatic colony, epidemic of influenza followed by, 1122*
significance of, in pharyngeal flora during respiratory infection, 704*
single type, reactions of rheumatic group to epidemic infection with, 1123*
titers in respiratory infection and their significance in rheumatic fever in children, 837*

Stroud, William D., Bromer, A. W., Gallagher, J. R., and VanderVeer, J. B., 129*
—, Livingston, A. E., Bromer, A. W., VanderVeer, J. B., and Griffith, G. C., 982*
Strychnine in treatment of premature contractions, and quinidine, 697*
Sullivan, Arthur G., and Marvin, H. M., 705
Suprarenal substance, blood flow, cerebral, in man, influenced by caffein, amyl nitrite and histamine, 916
cardiovascular response to subcutaneous injections of epinephrine and pituitrin in essential hypertension, 698*
epinephrine, effect of continuous infusion of minute doses of, on blood pressure, urea excretion and urine volume in various clinical conditions including Bright's disease, 272*
sensitivity of man to, injected intravenously before and after total thyroidectomy, 985*
Suspension of heart in dog, technic of, and exteriorization, 276*
Sutton, Don C., and Rawson, V., 1096
Sutton, Lucy Porter, and Dodge, K., 835*
Sympathectomy, thromboangiitis obliterans, and other circulatory diseases of extremities, selection of cases for, 143
Synchronism in contraction of ventricles in so-called common type of bundle-branch block; its bearing on determination of side of significant lesion and, on mechanism of split first and second heart sounds, 425
Syncope, observations, clinical, upon, and sudden death in relation to aortic stenosis, 705
on pathology and pharmacology of, and sudden death in coronary disease, 393*
Syphilis, heart and great vessels in combined rheumatism and, 557*
cardiovascular, early diagnosis and clinical course of aortitis in 346 cases of, 844*
observations on, 1102*
treatment of, results of, 1017

T

Tachycardia, auricular, paroxysmal, ergotamine tartrate in, 271*
nervous, 566 (Book review)
paroxysmal, 1103*
ventricular, paroxysmal, inversion of T-wave in Leads I and II in young individuals with neurocirculatory asthenia, with thyrotoxicosis, in relation to certain infections and following, 345
Temperature, environmental, relationship of blood pressure, peripheral vasomotor activity and, 1100*
external, effect of, food, gastric distention and repeated exercise on angina of effort, with note on angina sine dolore, 417*
skin, acetyl-β-methylcholin, action of, on blood pressure, and heart as exhibited by electrocardiogram of hypertensive patients, 558*
Tennent, Robert, 1120*
—, and Wiggers, C. J., 843*
Theobromine, effect of, on peripheral vascular disease, 558*
Theophyllin in treatment of arteriosclerotic heart disease, 393*
ethylendamine, effect of, on experimentally induced cardiac infarction in dog, 395*
Thevetin, action of, and cardiac glucoside, and its clinical application, 697*
Thomas, C. B., Baker, B. M., and Penich, R. M., Jr., 1124*
Thompson, H. E., and Dragstedt, C. A., 134*
Thompson, William P., Stewart, H. J., Crane, N. F., and Deitrick, J. E., 834*
Thomson, William A. R., 421*
Thoraco-abdominal cavity, growth of, and cardiac silhouette during infancy, influence of undernutrition, 268*
Thromboangiitis obliterans, cases of, and other circulatory diseases of extremities, selection for sympathetic ganglionectomy, 143
pain in, 847*
Thrombosis, coronary (*See* artery coronary, thrombosis of)
Thrombus, ball, free, of left auricle, 120
Thyroid gland, ablation, total, of normal, results in arteriosclerotic heart disease, 596
treatment of angina pectoris and congestive failure by, 419*
mechanism of early relief of pain in patients with angina pectoris and congestive heart failure after, 128*
treatment of chronic heart disease by, 17
treatment of congestive heart failure and angina pectoris by sensitivity of man to epinephrine injected intravenously before and after total thyroidectomy, 985*
disease of, heart in, effect of thyroidectomy on orthodiagram, 988*
Thyroidectomy, effect of, on electrocardiogram, 988*
on orthodiagram, 988*
total, in angina pectoris, 221
experiences with, in treatment of intractable heart disease, 736
Thyroparathyroidectomy, creatinin content and weight of ventricles in experimental hyperthyroidism, 133*
Thyrotoxicosis, inversion of T-wave in Leads I and II of electrocardiogram in young individuals with neurocirculatory asthenia, in relation to certain infections and following paroxysmal ventricular tachycardia, 345
Tichy, V. L., and Beck, C. S., 849
Tourniaire, A., and Galavardin, L., 566
Trichinosis, cardiovascular complications in, 983*
Trout, Eugene F., and Carter, J. B., 697*
Tuberculosis, endocardial, 981
renal, blood pressure variations in, 848*
Tung, C. L., Hsieh, C. K., Bien, C. W., and Dieuaide, F. R., 79
Turner, Kenneth B., Bruenn, H. G., and Levy, R. L., 391*
Two-step test of myocardial function, 495
Typhoid fever, heart in, 793

U

Urea, excretion of, effect of continuous infusion of minute doses of epinephrine on blood pressure and urine volume in various clinical conditions including Bright's disease, 272*
Urine, volume of, effect of continuous infusion of minute doses of epinephrine on its excretion of urine, and blood pressure in various clinical conditions including Bright's disease, 272*

V

Valve, aortic, disease of, combined syphilitic and rheumatic, 273*
stenosis of, clinical observations on, 273*
on syncope and sudden death in relation to, 705

Valve, aortic—Cont'd
syphilitic, insufficiency of, coexistence of, and rheumatic mitral disease, 991*
heart, lesions of, type of, influence of, on course of rheumatic heart disease in adults, 478
mitral, deformity of, relation of auricular fibrillation to, and other rheumatic tissue changes, 62
disease of, spleen, pulsating, case of, 1096
rheumatic disease of, coexistence of, and syphilitic aortic insufficiency, 991*
snap of, 702*
stenosis of, development of, in young people, 995
diagnosis of, value of sound records in, 654
variability of murmurs in, 1122*
syphilis of, and membranous interventricular septum, 991*
tricuspid, disease of, spleen pulsating, case of, 1096
stenosis, isolated, of probable rheumatic origin, 992*
VanderVeer, Joseph B., Stroud, W. D., Bromer, A. W., and Gallagher, J. R., 129*
—, —, Livington, A. E., Bromer, A. W., and Griffith, G. C., 982*
Vascular disease, peripheral, iontophoresis of acetyl-β-methylcholin chloride in treatment of, and chronic arthritis, 137*
Vasomotor system, peripheral, activity of, relationship of, blood pressure, environmental temperature and, 1100*
disease of, advanced, treatment of, clinical value of alternate suction and pressure in, 561*
effect of theobromine on, 558*
its significance for general practitioner and specialist, 841*
Varix, retroperitoneal, rupture of, with fatal hemoperitoneum: portal obstruction in rheumatic heart disease with adherent pericardium, 255
Veal, J. Ross, and McFetridge, E. M., 559*
Venesection, effect of, on arterial spinal fluid and venous pressure with especial reference to failure of left and right heart, 702
response, early, of, with observations on so-called bloodless venesection, 848*
Ventricle, creatinin content and weight of, in experimetal hyperthyroidism and after thyroparathyroidectomy, 133*
ejection of, left, delay in, onset of, in bundle-branch block, 681
enlargement of, size of angle of clearance of left ventricle as criterion of, 271*
injuries of various parts of, electrocardiographic changes produced by, 284*
left, angle of clearance of, size of, as criterion of ventricular enlargement, 271*
muscles of component, localization of cardiac infarcts according to, 287
walls of mammalian, fibers of Purkinje system in, 268*
Ventriculogram, areas of, determination and significance of, 46
initial phase of, and precordial lead, effect of coronary occlusion on, 134*
Verodigen, use of, in cardiovascular disease: its biological assay and pharmacological action, 982*
Vital capacity of lungs, changes occurring in health and in disease, 989*
Volk, M. C., Gilligan, D. R., Berlin, D. D., Stern, B., and Blumgart, H. L., 135*
Von Glahn, William C., and Pappenheimer, A. M., 562*
Vook, Marie C., and Altschule, M. D., 989*

W

Waldorp, Carlos P., and Genijovich, S., 423
Wayne, E. J., and Graybiel, A., 417*
—, and Pickering, G. W., 418*
Weber, Arthur, 1128
Wedd, A. M., and Smith, R. E., 392,* 702*
Weed, Lewis H., Clark, J. H., and Hooker, D. R., 137*
Weinstein, A. A., Berlin, D. D., Blumgart, H. L., Riseman, J. E. F., and Davis, D., 419*
—, —, Riseman, J. E. F., and Blumgart, H. L., 17, 596
—, Davis, D., Berlin, D. D., and Blumgart, H. L., 128*
Weinstein, Joseph, and Abramson, D. I., 835*
Weinstein, William, Katz, L. N., and Mayne, W., 847*
Weiss, Harry, 416*
Weiss, Morris M., and Horine, E. F., 390*
Weiss, Soma, and Davis, D., 486
—, and Ellis, Laurence B., 837*
—, and Ferris, E. B., Jr., 416*
Wenckebach, K. F., 423
Wheeler, George W., Wilson, M. G., and Leaske, M. M., 837,* 838*
White, Paul D., 260
—, Bland, E. F., and Jones, T. D., 995
—, and Edwards, J. C., 140*
—, and Graybiel, A., 345, 842*
—, —, and Allen, A. W., 557*
—, and McGinn, S., 273,* 839*
—, and Salcedo-Salgar, J., 1067
Whitten, Merritt B., and Herndon, J. H., 392*
Wiggers, Carl J., 424*
—, and Tennent, R., 843*
—, and Wiggers, Harold C., 1120*
Wiggers, Harold C., and Wiggers, C. J., 1120*
Wiggers-Dean method of recording heart sounds, modification using audio amplification, 965
Williamson, G. G., Maynard, E. P., Jr., Curran, J. A., Rosen, I. T., and Lingg, C., 844*
Willius, Fredrick A., and Anderson, M. J., 248
—, and Smith, H. L., 190
Wilson, Frank N., Hill, I. G. W., and Johnston, F. D., 163, 176, 889, 903, 1025
—, Macleod, A. G., Barker, P. S., and Johnston, F. D., 46
Wilson, May G., 271*
—, Ingerman, E., DuBois, R. O., and Spock, B. McL., 704*
—, Wheeler, G. W., and Leaske, M. M., 837,* 838*
Wolferth, Charles C., and Edeiken, J., 559*
—, and Margolies, A., 425, 1103,* 1121*
—, Wood, F. C., and Bellet, S., 990*
—, —, and Jeffers, W. A., 1050
Wood, Charles L., and McIntosh, R., 838*
Wood, David Alvra, and Hines, D. C., 974
Wood, F. C., Jeffers, W. A., and Wolferth, C. C., 1056
—, Margolies A., and Rose, E., 988*
—, Wolferth, C. C., and Bellet, S., 990*
Wosika, Paul H., and Sosman, M. C., 156
Wounds of heart, nonpenetrating, 293
stab, study of electrocardiographic changes in, polyserositis and pericarditis, 983*

Y

Yater, Wallace M., 1103*